

MIRRIN Accessories

Current probes



Figure 1: CAT IV 600V flexible current probe
Part number: 1AFF3000-6-G



Figure 3: High sensitivity CAT IV 600V flexible current probe; Part number: 1AFF3000-6-H



Figure 2: CAT IV 600V flexible current probe
Part numbers: 1AFF3000-3, 1AFF3000-6, 1AFF3000-9



Figure 4: 15 series CAT III 600V current clamp-on probe
Part number: 1ACR100S



Figure 5: 52 series CAT IV 600V current clamp-on probe
Part numbers: 1ACR100, 1ACR500, 1ACR1000

Temperature probes

Temperature probe (ambient)



Figure 6: Temperature probe (ambient); Weight: 150g;
Cable length: 3m; Part number: 1ATEMPSENAMB

Temperature probe (surface)



Figure 7: Temperature probe (surface); Weight: 200g;
Cable length: 3m; Part number: 1ATEMPSENSUR
(magnetic mount)

Cables

Communications cable



Figure 8: USB serial lead for MIRRIN; Weight: 10g; Cable
length: 2m; Part number: 1AUSBSERIAL

Carry bag

Instrument bag



Figure 9: Carry bag; Main pocket, front pocket, padded divider, textured rubber shoulder strap with twisted clip and business card pocket; Dimensions (L x W x H) mm: 290 x 160 x 280; Weight: 500g; Part number: 1ACBP4

Mounting



Figure 10: Mounting assembly.

Back plate - part number: 70159; Magnetic feet - part number: 70152; Mounting screws - part number: 70153

Current converters



Figure 11: CK1/CK5 three phase current transformer converters; Part numbers: 1ACK1 or 1ACK5